

NEW GENERATION 7. C. C. 2555 INVERTER GENERATORS





WORMS ENTREPRISES is the french manufacturer of power generators since 1980. With one of the most comprehensive range of inverter generators on the market, individuals and professionnals always find the right Worms generator for powering their most sensitive equipments.



ACCESS 2000i 2000 WATTS



ACCESS 3000i 3000 WATTS



ACCESS 4000i 4000 WATTS



ACCESS 7000 i 7000 WATTS



PERFECT CURRENT

Because your equipments such as computers require a continuous and stable power, our new generation inverters are designed with the latest INVERTER TECHNOLOGY.



DOUBLE UP THE POWER

Connect two inverter generators thanks to the parallel kit for extra power up to 7200 W. Available for ACCESS 2000 i and 4000 i.





AUTOMATIC LOW IDLE / BEST FUEL EFFICIENCY

WORMS inverter generators can instantly set the engine speed according to the required power ensuring the best fuel savings.



ANYWHERE WITH YOU

Our new generation inverter generators are among the most lightweight on the market. Their IP23 rating prevent any rainwater ingress and they can operate from -10 °C up to 40 °C.



SILENT POWER

The new generation of Worms inverter generators has been designed with a focus on reducing the noise down to 67 dB.





MAINTENANCE MADE EASY

For optimum performance and longevity of your Worms generator we recommend replacing the engine oil every 50 hours. Get your genuine maintenance kit from your Worms distributor including engine oil, air filter and spark plug.

SILENT INVERTER GENERATOR

ACCESS 2000i 2000 WATTS





ACCESS 3000i

3000 WATTS









		(a)			$\boldsymbol{\omega}$	\odot	
	RECOIL START	ELECTRIC START	SOUND PROOF CANOPY	USB CHARGER	SINGLE PHASE SOCKET 10/16 A SCHUKO	SINGLE PHASE SOCKET 230 V / 32 A	DC 12 V OUTPUT
ACCESS 2000 i	•	_	•	•	2	-	_
ACCESS 3000 i	•	_	•	•	2	_	_
ACCESS 4000 i	•	_	•	•	2	_	_
ACCESS 7000 i	•	•	•	•	2	1	1





7000 WATTS











	A					
AUTOMATIC IDLING SYSTEM	OIL SENSOR WITH WARNING LIGHT	PARALLEL CAPABILITY FUNCTION	OVERLOAD PROTECTION WITH WARNING LIGHT	OVER CURRENT PROTECTION	INTEGRATED WHEEL AND HAND TRUCK FRAME	WHEELBARROW AND FOLDING ARM KIT
•	•	•	•	•	_	_
•	•	_	•	•	•	_
•	•	•	•	•	•	_
•	•	_	•	•	_	•



ACCESS 2000i













ACCESS 3000i





ACCESS 4000i















ACCESS 7000i



2 x 🗿

₽_\$ **Ø Ø**






















ACCESS 2000i



ACCESS 3000i



ACCESS 4000i



ACCESS 7000i

General	Inf	format	ion

Туре	1 phase	1 phase	1 phase	1 phase
Voltage Regulator	INVERTER	INVERTER	INVERTER	INVERTER
Maximum Output Power	2 kW	3 kW	4 kW	7.1 kW
Continuous Operating Power (COP)	1.8 kW (3.6 kW paired)	2.8 kW	3.6 kW (7.2 kW paired)	6.8 kW
Maximum Amps	8.7 A	13 A	17.3 A	30.8 A
AC voltage	230 V	230 V	230 V	230 V
Frequency	50 Hz	50 Hz	50 Hz	50 Hz
A Naiss Level (L 2 dD(A))				

Noise Level (± 3 dB(A))

Noise Power Level ECC (LwA)	92 dB(A)	96 dB(A)	92 dB(A)	95 dB(A)
Noise Power Level @ 7 m	67 dB(A)	71 dB(A)	67 dB(A)	70 dB(A)

Discrete Fuel Consumption

Fuel Type	Petrol RON 95	Petrol RON 95	Petrol RON 95	Petrol RON 95
Fuel Tank Capacity	5 L	8.5 L	10 L	20 L
Run Time (¾ of the Continuous Output)	5 h	6 h	5 h	5 h

Dimensions & Weight

6	Dimensions L x W x H	498 x 298 x 459 mm	605 x 432 x 493 mm	610 x 460 x 530 mm	870 x 724 x 685 mm
1000	Packaging Dimensions L x W x H	565 x 345 x 525 mm	630 x 470 x 525 mm	625 x 490 x 565 mm	980 x 690 x 560 mm
17	Net Weight	21.5 kg	37 kg	42 kg	105 kg
	Gross Weight	23.5 kg	41.5 kg	44.5 kg	107.5 kg

Engine

E	Engine Model	TAGE 5	WORMS G80-i	WORMS R210-i	WORMS G225-i	WORMS R420D-Vi
N	/laximum Output		3.5 HP	5.4 HP	5 HP	11.9 HP

	Optional	Equipments
--	-----------------	-------------------

Parallel Cables Kit	•	_	•	_
Earth Leakage Circuit Breaker	_	factory option	factory option	factory option





ZAC DE LAMIRAULT 39 rue de Lamirault 77090 COLLEGIEN FRANCE

TEL: +33 (0) 1 64 76 29 60 contact@wormsentreprises.com export@wormsentreprises.com www.wormsentreprises.com









